

PRODUCT INDEX

Heavy duty double bolt clamps are constructed from zinc plated iron for rugged use. They are available in 22 sizes covering a range of hose outside diameters from 17mm through to 381mm.



















































Super hose clamps are produced from zinc plated steel or 304 stainless steel. They are available in over 30 sizes covering a range of hose outside diameters from 17mm through to 252mm. The band edge is rolled to prevent damage to the hose.

Worm drive clips are produced from zinc plated steel or stainless steel. They are available in over 20 sizes and are widely used throughout the industry as a cost effective method of securing end fittings into light duty hose.

Band-it strapping is available as band & buckle or as a preformed clip. The band for the band & buckle system is supplied as a continuous 100 ft (30.5m) roll so any size of clip can be produced. It is available in 2 grades of stainless steel - type 301 grade is the basic type for the majority of applications. Type 316 grade are used for applications needing a high degree of corrosion resistance. Used extensively in moist atmospheres and environments, which are subject to chemical, salt & acid attack. Preformed clips come 'ready made' and are available in various sizes from 19mm I.D. to 203mm in different band widths - ¼", ⅜", ½", & ⅝". To complement the Band-it range, we have a number of tools and spare parts available for the application of the different styles of clip.

O clips and P clips are suitable for light duty securing of hose assemblies, and are quick and easy to install. The O clip is zinc plated and comes as a single or double ear option. The P clip is zinc plated and comes with a nitrile cover to prevent hose damage.

Whipcheck steel cables complete with spring loaded loops are used on air, steam hoses etc for the safe holding of assemblies should they become accidentally separated. This helps prevent injury to operators and damage to plant & machinery. Manufactured from steel components for standard applications with copper ferruled option - used for offshore & mining and a stainless steel option - used where a high degree of corrosion resistance is needed.

| | Series | Page | | Series | Page |
|--|--------|------|---|-----------|------|
|  | THC | 442 |  | SS/OC | 443 |
|  | DHC | 442 |  | SS/OC1 | 443 |
|  | SHC | 442 |  | CT | 443 |
|  | SS/SHC | 442 |  | OCP | 443 |
|  | CHC | 442 |  | Flexi-D | 443 |
|  | PHC | 443 |  | MS | 444 |
|  | SS/PHC | 443 |  | HNSS | 444 |
|  | OC | 443 |  | | 444 |
|  | OC1 | 443 |  | NBC | 445 |
| | | |  | WHC | 445 |
| | | |  | | 445 |
| | | |  | CC | 445 |
| | | |  | CDR | 445 |
| | | |  | WDR | 445 |
| | | |  | CD1 | 445 |
| | | |  | HP1 | 445 |
| | | |  | SD540 | 445 |
| | | |  | HCP143 | 445 |
| | | |  | JA165 | 445 |
| | | |  | OK175 | 445 |
| | | |  | MDK-01 | 445 |
| | | |  | THC CARRY | 445 |
| | | |  | WSR | 446 |
| | | |  | WB | 446 |
| | | |  | C/WB | 446 |
| | | |  | TBC | 446 |
| | | |  | STBC | 446 |
| | | |  | SCCW | 446 |
| | | |  | SCAC | 446 |
| | | |  | DBC | 447 |
| | | |  | SS/CST | 447 |
| | | |  | SS/CBK | 447 |
| | | |  | PCL | 447 |
| | | |  | PCU | 447 |
| | | |  | CLT | 448 |
| | | |  | SAT | 448 |
| | | |  | MLT | 448 |
| | | |  | LCT | 448 |
| | | |  | HNT | 448 |
| | | |  | HHT | 448 |
| | | |  | HHT | 448 |

For Technical Data please see Section 9

Worm Drive Hose Clips



| Part Number | Diameter (mm) | Dimension - (i/mm) | Band Width (mm) |
|----------------|---------------|--------------------|-----------------|
| THC-012 | 8-12 | 23.6 | 6 |
| THC-016 | 8-16 | 25 | 6 |
| THC-020 | 12-22 | 25 | 6 |
| THC-025 | 16-27 | 27.5 | 7 |
| THC-032 | 20-32 | 27.5 | 7 |
| THC-040 | 25-40 | 31 | 10 |
| THC-050 | 32-50 | 31 | 10 |
| THC-060 | 40-60 | 35 | 10 |
| THC-070 | 50-70 | 35 | 10 |
| THC-080 | 60-80 | 35 | 10 |
| THC-090 | 70-90 | 35 | 10 |
| THC-100 | 80-100 | 29 | 10 |
| THC-110 | 90-110 | 29 | 10 |
| THC-120 | 100-120 | 29 | 10 |
| THC-140 | 120-140 | 29 | 10 |

Stainless Steel Heavy Duty Hose Clamps



| Part Number | Diameter (mm) | Band Width (mm) |
|-------------------|---------------|-----------------|
| SS/SHC-019 | 17-19 | 8 |
| SS/SHC-021 | 19-21 | 8 |
| SS/SHC-022 | 20-22 | 8 |
| SS/SHC-023 | 21-23 | 8 |
| SS/SHC-025 | 23-25 | 8 |
| SS/SHC-027 | 25-27 | 8 |
| SS/SHC-028 | 26-28 | 8 |
| SS/SHC-029 | 27-29 | 8 |
| SS/SHC-031 | 29-31 | 10 |
| SS/SHC-034 | 31-34 | 10 |
| SS/SHC-035 | 32-35 | 10 |
| SS/SHC-037 | 34-37 | 10 |
| SS/SHC-039 | 36-39 | 10 |
| SS/SHC-040 | 37-40 | 10 |
| SS/SHC-043 | 40-43 | 10 |
| SS/SHC-047 | 43-47 | 10 |
| SS/SHC-051 | 47-51 | 10 |
| SS/SHC-055 | 51-55 | 10 |
| SS/SHC-059 | 55-59 | 10 |
| SS/SHC-063 | 59-63 | 10 |
| SS/SHC-067 | 64-67 | 10 |
| SS/SHC-068 | 63-68 | 10 |
| SS/SHC-073 | 68-73 | 13 |
| SS/SHC-079 | 73-79 | 13 |
| SS/SHC-085 | 79-85 | 13 |
| SS/SHC-091 | 85-91 | 13 |
| SS/SHC-097 | 91-97 | 13 |
| SS/SHC-104 | 97-104 | 13 |
| SS/SHC-112 | 104-112 | 13 |
| SS/SHC-121 | 112-121 | 13 |
| SS/SHC-130 | 122-130 | 13 |
| SS/SHC-140 | 130-140 | 13 |
| SS/SHC-150 | 140-150 | 13 |
| SS/SHC-161 | 150-162 | 15 |

3.15

Ducting Hose Clip



| Part Number | Diameter (mm) |
|----------------|---------------|
| DHC-050 | 50-75 |
| DHC-075 | 70-90 |
| DHC-100 | 100-120 |
| DHC-125 | 120-140 |
| DHC-150 | 150-170 |
| DHC-160 | 160-180 |
| DHC-200 | 240-260 |

Heavy Duty Hose Clamps



| Part Number | Diameter (mm) | Band Width (mm) |
|----------------|---------------|-----------------|
| SHC-019 | 17-19 | 8 |
| SHC-021 | 19-21 | 8 |
| SHC-022 | 20-22 | 8 |
| SHC-023 | 21-23 | 8 |
| SHC-025 | 23-25 | 8 |
| SHC-027 | 25-27 | 8 |
| SHC-028 | 26-28 | 8 |
| SHC-029 | 27-29 | 8 |
| SHC-031 | 29-31 | 10 |
| SHC-034 | 31-34 | 10 |
| SHC-035 | 32-35 | 10 |
| SHC-037 | 34-37 | 10 |
| SHC-039 | 36-39 | 10 |
| SHC-040 | 37-40 | 10 |
| SHC-043 | 40-43 | 10 |
| SHC-047 | 43-47 | 10 |
| SHC-051 | 47-51 | 10 |
| SHC-055 | 51-55 | 10 |
| SHC-059 | 55-59 | 10 |
| SHC-063 | 59-63 | 10 |
| SHC-067 | 64-67 | 10 |
| SHC-068 | 63-68 | 10 |
| SHC-073 | 68-73 | 13 |
| SHC-079 | 73-79 | 13 |
| SHC-085 | 79-85 | 13 |
| SHC-091 | 85-91 | 13 |
| SHC-097 | 91-97 | 13 |
| SHC-104 | 97-104 | 13 |
| SHC-112 | 104-112 | 13 |
| SHC-121 | 112-121 | 13 |
| SHC-130 | 122-130 | 13 |
| SHC-140 | 130-140 | 13 |
| SHC-150 | 140-150 | 13 |
| SHC-161 | 150-162 | 15 |

Cobra Hose Clip



| Part Number | Diameter (mm) | Band Width (mm) |
|-----------------|---------------|-----------------|
| CHC-0075 | 7.5 | 7 |
| CHC-008 | 8 | 7 |
| CHC-0085 | 8.5 | 7 |
| CHC-009 | 9 | 7 |
| CHC-0095 | 9.5 | 7 |
| CHC-010 | 10 | 7 |
| CHC-0105 | 10.5 | 7 |
| CHC-011 | 11 | 7 |
| CHC-0115 | 11.5 | 7 |
| CHC-012 | 12 | 8 |
| CHC-013 | 13 | 8 |
| CHC-014 | 14 | 8 |
| CHC-015 | 15 | 8 |
| CHC-016 | 16 | 8 |
| CHC-017 | 17 | 8 |
| CHC-018 | 18 | 8 |
| CHC-019 | 19 | 8 |
| CHC-020 | 20 | 8 |
| CHC-021 | 21 | 8 |
| CHC-022 | 22 | 8 |
| CHC-023 | 23 | 8 |
| CHC-024 | 24 | 8 |
| CHC-025 | 25 | 8 |
| CHC-026 | 26 | 8 |
| CHC-027 | 27 | 8 |
| CHC-028 | 28 | 8 |
| CHC-029 | 29 | 8 |
| CHC-030 | 30 | 8 |

Pipe Retaining Clips

| Part Number | Diameter (mm) |
|-------------|---------------|
| PHC-005 | 5 |
| PHC-006 | 6 |
| PHC-009 | 9 |
| PHC-010 | 10 |
| PHC-012 | 12 |
| PHC-013 | 13 |
| PHC-015 | 15 |
| PHC-016 | 16 |
| PHC-018 | 18 |
| PHC-019 | 19 |
| PHC-020 | 20 |
| PHC-022 | 22 |
| PHC-025 | 25 |
| PHC-027 | 27 |
| PHC-029 | 29 |
| PHC-032 | 32 |
| PHC-035 | 35 |
| PHC-038 | 38 |
| PHC-040 | 40 |
| PHC-044 | 44 |
| PHC-048 | 48 |
| PHC-050 | 50 |
| PHC-055 | 55 |
| PHC-070 | 70 |



Pipe Retaining Clip (Stainless Steel)

| Part Number | Diameter (mm) |
|-------------|---------------|
| SS/PHC-005 | 5 |
| SS/PHC-006 | 6 |
| SS/PHC-009 | 9 |
| SS/PHC-010 | 10 |
| SS/PHC-012 | 12 |
| SS/PHC-013 | 13 |
| SS/PHC-015 | 15 |
| SS/PHC-016 | 16 |
| SS/PHC-018 | 18 |
| SS/PHC-019 | 19 |
| SS/PHC-020 | 20 |
| SS/PHC-022 | 22 |
| SS/PHC-025 | 25 |
| SS/PHC-027 | 27 |
| SS/PHC-029 | 29 |
| SS/PHC-032 | 32 |
| SS/PHC-035 | 35 |
| SS/PHC-038 | 38 |
| SS/PHC-040 | 40 |
| SS/PHC-044 | 44 |
| SS/PHC-048 | 48 |
| SS/PHC-050 | 50 |
| SS/PHC-055 | 55 |
| SS/PHC-070 | 70 |



Double Ear Clamp

| Part Number | Diameter (mm) | Band Width (mm) |
|-------------|---------------|-----------------|
| OC-04 | 5-7 | 6 |
| OC-05 | 7-9 | 6 |
| OC-06 | 9-11 | 6.5 |
| OC-07 | 11-13 | 6.5 |
| OC-08 | 13-15 | 6.5 |
| OC-09 | 14-17 | 7 |
| OC-10 | 15-18 | 7.5 |
| OC-12 | 17-20 | 7.5 |
| OC-14 | 20-23 | 8 |
| OC-16 | 23-27 | 8.5 |
| OC-19 | 28-31 | 9 |



Single Ear Clamp

| Part Number | Diameter (mm) | Band Width (mm) |
|-------------|---------------|-----------------|
| OC1-04 | 5-6 | 6 |
| OC1-05 | 6-7 | 6 |
| OC1-06 | 9-11 | 6.5 |
| OC1-07 | 11-13 | 6.5 |
| OC1-08 | 12-14 | 6.5 |
| OC1-09 | 14-16 | 7 |
| OC1-10 | 16-18 | 7.5 |
| OC1-12 | 18-20 | 7.5 |
| OC1-14 | 20-22 | 8 |
| OC1-16 | 22-25 | 8.5 |
| OC1-19 | 27-30 | 9 |



Double Ear Clamp (Stainless Steel)

| Part Number | Diameter (mm) | Band Width (mm) |
|-------------|---------------|-----------------|
| SS/OC-04 | 5-7 | 6 |
| SS/OC-05 | 7-9 | 6 |
| SS/OC-06 | 9-11 | 6.5 |
| SS/OC-07 | 11-13 | 6.5 |
| SS/OC-08 | 13-15 | 6.5 |
| SS/OC-09 | 14-17 | 7 |
| SS/OC-10 | 15-18 | 7.5 |
| SS/OC-12 | 17-20 | 7.5 |
| SS/OC-14 | 20-23 | 8 |
| SS/OC-16 | 23-27 | 8.5 |
| SS/OC-19 | 28-31 | 9 |



Single Ear Clamp (Stainless Steel)

| Part Number | Diameter (mm) |
|-------------|---------------|
| SS/OC1-04 | 5-6 |
| SS/OC1-05 | 6-7 |
| SS/OC1-06 | 6-5 |
| SS/OC1-07 | 11-13 |
| SS/OC1-08 | 12-14 |
| SS/OC1-09 | 14-16 |
| SS/OC1-10 | 16-18 |
| SS/OC1-12 | 18-20 |
| SS/OC1-14 | 20-22 |
| SS/OC1-16 | 22-25 |
| SS/OC1-19 | 27-30 |



Cable Ties

| Part Number | Diameter (mm) |
|-------------|---------------|
| CT-01 | 4.8 x 200 |
| CT-02 | 4.8 x 360 |
| CT-03 | 4.8 x 430 |
| CT-04 | 7.8 x 365 |
| CT-05 | 12.7 x 500 |



O' Clip Pliers

| Part Number |
|-------------|
| OCP-98 |



Worm Drive Flexi Screwdriver

| Part Number | Diameter (mm) |
|-------------|---------------|
| Flexi-D-6mm | 6 |
| Flexi-D-7mm | 7 |



Jubilee® Zinc Plated Mild Steel & Stainless Steel Clips



3.15

| Mild Steel | 304 Stainless Steel | 316 Stainless Steel | Adjustments | | | | Pack Sizes | | | | |
|---------------|---------------------|---------------------|-------------|---------|-----------------|---------------|------------|-------------------|----------|------|-----------------------|
| Part Number | Part Number | Part Number | BS No. | mm | Inches | Band width mm | 'Z' Max. | Band Thickness mm | 10's | Bulk | Weights per 100 (kgs) |
| 00MS | 00SS | 00HNSS | 12 | 9.5-12 | 3/8 - 1/2 | 9 | 21 | 0.762 | 10 - 100 | 500 | 1.2 |
| MO0MS | MO0SS | MO0HNSS | 16 | 11-16 | 1/2 - 5/8 | 9 | 21 | 0.762 | 10 - 100 | 500 | 1.3 |
| O0MS | O0SS | O0HNSS | 20 | 13-20 | 1/2 - 3/4 | 9 | 21 | 0.762 | 10 - 100 | 450 | 1.3 |
| OMS | OSS | OHNSS | 22 | 16-22 | 5/8 - 7/8 | 13 | 25 | 0.914 | 10 - 100 | 500 | 2.2 |
| OXMS | OXSS | OXHNSS | 25 | 18-25 | 3/4 - 1 | 13 | 29 | 0.914 | 10 - 100 | 450 | 2.3 |
| 1AMS | 1ASS | 1AHNSS | 30 | 22-30 | 7/8 - 1 1/8 | 13 | 29 | 0.914 | 10 - 100 | 350 | 2.8 |
| 1MS | 1SS | 1HNSS | 35 | 25-35 | 1 - 1 3/8 | 13 | 29 | 0.914 | 10 - 100 | 275 | 3.0 |
| 1XMS | 1XSS | 1XHNSS | 40 | 30-40 | 1 1/8 - 1 5/8 | 13 | 29 | 0.914 | 10 - 100 | 200 | 3.1 |
| 1MMS | 1MSS | 1MHNSS | 45 | 32-45 | 1 1/4 - 1 3/4 | 13 | 33 | 0.914 | 10 - 100 | 175 | 3.2 |
| 2AMS | 2ASS | 2AHNSS | 50 | 35-50 | 1 3/8 - 2 | 13 | 33 | 0.914 | 10 - 100 | 150 | 3.9 |
| 2MS | 2SS | 2HNSS | 55 | 40-55 | 1 5/8 - 2 1/8 | 13 | 33 | 0.914 | 10 - 100 | 125 | 4.0 |
| 2XMS | 2XSS | 2XHNSS | 60 | 45-60 | 1 3/8 - 2 3/8 | 13 | 33 | 0.914 | 10 - 100 | 250 | 4.2 |
| 3MS | 3SS | 3HNSS | 70 | 55-70 | 2 1/8 - 2 3/4 | 13 | 33 | 0.914 | 10 - 100 | 200 | 4.5 |
| 3XMS | 3XSS | 3XHNSS | 80 | 60-80 | 2 3/8 - 3 1/8 | 13 | 33 | 0.914 | - | 150 | 4.8 |
| 4MS | 4SS | 4HNSS | 90 | 70-90 | 2 3/4 - 3 1/2 | 13 | 33 | 0.914 | - | 125 | 5.1 |
| 4XMS | 4XSS | 4XHNSS | 100 | 85-100 | 3 1/4 - 4 | 13 | 33 | 0.914 | - | 100 | 5.4 |
| 5MS | 5SS | 5HNSS | 120 | 90-120 | 3 1/2 - 4 3/4 | 13 | 33 | 0.914 | - | 100 | 6.0 |
| 6MS | 6SS | 6HNSS | 140 | 110-140 | 4 3/8 - 5 1/2 | 13 | 33 | 0.914 | - | 75 | 6.9 |
| 6XMS | 6XSS | 6XHNSS | 150 | 120-150 | 4 3/4 - 5 7/8 | 13 | 33 | 0.914 | - | 50 | 7.1 |
| 7MS | 7SS | 7HNSS | 165 | 135-165 | 5 1/4 - 6 1/2 | 13 | 33 | 0.914 | - | 50 | 7.6 |
| 7.5MS | 7.5SS | 7.5HNSS | 190 | 158-190 | 6 1/4 - 7 1/2 | 13 | 33 | 0.914 | - | 50 | 8.5 |
| 8.5MS | 8.5SS | 8.5HNSS | 216 | 184-216 | 7 1/4 - 8 1/2 | 13 | 33 | 0.914 | - | 50 | 9.1 |
| 9.5MS | 9.5SS | 9.5HNSS | 242 | 210-242 | 8 1/4 - 9 1/2 | 13 | 33 | 0.914 | - | 50 | 9.9 |
| 10.5MS | 10.5SS | 10.5HNSS | 267 | 235-267 | 9 1/4 - 10 1/2 | 13 | 33 | 0.914 | - | 50 | 10.5 |
| 11.5MS | 11.5SS | 11.5HNSS | 292 | 260-292 | 10 1/4 - 11 1/2 | 13 | 33 | 0.914 | - | 50 | 11.3 |
| 12.5MS | 12.5SS | 12.5HNSS | 318 | 286-318 | 11 1/4 - 12 1/2 | 13 | 33 | 0.914 | - | 50 | 12.2 |

Jubilee Wingspade® Clips



| Part Number | Range | Working dia (mm) |
|---------------|--------|------------------|
| 00/12 | 00/12 | 8 - 12 |
| M00/16 | M00/16 | 10 - 16 |
| 00/20 | 00/20 | 12 - 20 |
| OX/25 | OX/25 | 16 - 25 |
| 1A/32 | 1A/32 | 20 - 32 |
| 1X/40 | 1X/40 | 25 - 40 |
| 2A/50 | 2A/50 | 32 - 50 |
| 2X/60 | 2X/60 | 40 - 60 |
| 3/70 | 3/70 | 50 - 70 |

Nut and Bolt Hose Clip

| Part Number | Diameter (mm) |
|---------------|---------------|
| NBC-9 | 7-9 |
| NBC-10 | 8-10 |
| NBC-11 | 9-11 |
| NBC-12 | 10-12 |
| NBC-13 | 11-13 |
| NBC-14 | 12-14 |
| NBC-15 | 13-15 |
| NBC-16 | 14-16 |
| NBC-17 | 15-17 |
| NBC-18 | 16-18 |



Wingspade Hose Clip

| Part Number | Diameter (mm) |
|---------------|---------------|
| WHC-12 | 8-12 |
| WHC-16 | 10-16 |
| WHC-20 | 12-20 |
| WHC-25 | 16-25 |
| WHC-32 | 20-32 |
| WHC-40 | 25-40 |
| WHC-50 | 32-50 |
| WHC-60 | 40-60 |
| WHC-70 | 50-70 |



Mild Steel Multiband

| Part Number | Band Width (mm) |
|-------------|-----------------|
| 1701 | 11 |
| 1702 | 11 |
| 1703 | 11 |
| 1704 | 11 |
| 1705 | 11 |
| 1706 | 11 |
| 1708 | 11 |
| 1802 | 11 |
| 1803 | 11 |
| 1804 | 11 |
| 1805 | 11 |
| 1806 | 11 |
| 1601 | 7 |
| 1602 | 7 |
| 1603 | 7 |
| 1604 | 7 |
| 1605 | 7 |



Carded Clips

| Part Number | Diameter (mm) |
|--------------|---------------|
| 000CC | 9.5 - 12mm |
| MO0CC | 11 - 16mm |
| 00CC | 13 - 20mm |
| OCC | 16 - 22mm |
| 1ACC | 22 - 30mm |
| 1CC | 25 - 35mm |
| 1XCC | 30 - 40mm |
| 2ACC | 35 - 50mm |
| 2CC | 40 - 55mm |



Jubilee® Clipdrivers

| Part Number | |
|---------------|-------|
| CDR95 | 95mm |
| CDR160 | 160mm |



Jubilee® Wingdriver

| Part Number | |
|-------------|------------|
| WDR | Wingdriver |



Clip Dispensers



| Part Number | |
|----------------|---|
| CD100MS | Mild Steel complete with hose clips |
| CD100SS | Stainless Steel complete with hose clip |



| Part Number | |
|----------------|--|
| HP100MS | Mild Steel Handy Pack with hose clips |
| HP100SS | Stainless Steel Handy Pack with hose clips |



Smart Dispenser

| Part Number | |
|--------------|--|
| SD540 | |



Workshop Pack

| Part Number | |
|-----------------|-----------------|
| HCP143MS | Mild Steel |
| HCP143SS | Stainless Steel |



Junior Assortment

| Part Number | |
|--------------|--|
| JA165 | |



O'Clips Kits

| Part Number | |
|---------------|--|
| OK175P | |
| OK175 | |



Worm Drive Kits

| Part Number | |
|------------------|------------------------------|
| MDK-01 | Worm Drive Hose Clip Display |
| THC CARRY | Worm Drive Hose Clip Kit |



Whipcheck Safety Cable

A POSITIVE SAFEGUARD FOR HOSE CONNECTIONS

MATERIALS: STEEL AND STEEL WITH COPPER FERRULES. STAINLESS STEEL (UPON REQUEST).

DETAILS: STRONG STEEL CABLES HELP PREVENT HOSE WHIP IN CASE OF ACCIDENTAL SEPARATION OF COUPLING OR CLAMP DEVICE.

"WHIP-CHECK" reaches across the hose fittings to provide stand-by safety for hose. Spring-loaded loops in the cable ends open easily to pass over the couplings for firm grip on hose. Tested to perform to Pirtek stringent inhouse standards.

WSR Series for Hose-to-Tool Service



| Part Number | Cable | Size | Length |
|---------------|-------|---------------|---------|
| WSR-20 | 1/8" | 1/2" - 1 1/4" | 20 1/4" |
| WSR-38 | 1/4" | 1 1/2" - 3" | 38" |

W Series for Hose-to-Hose Service



| Part Number | Cable | Size | Length |
|--------------|-------|---------------|---------|
| WB-20 | 1/8" | 1/2" - 1 1/4" | 20 1/4" |
| WB-38 | 1/4" | 1 1/2" - 3" | 38" |

Copper Ferrules for Offshore/Mining Applications



| Part Number | Cable | Size | Length |
|----------------|-------|---------------|---------|
| C/WB-20 | 1/8" | 1/2" - 1 1/4" | 20 1/4" |
| C/WB-38 | 1/4" | 1 1/2" - 3" | 38" |

TBC Series Heavy Duty Mild Steel T-Bolt Clamps



| Part Number | Size (ins) | From | O.D. To |
|----------------|------------|-------|---------|
| TBC-40 | 1 1/2" | 32.5 | 40.8 |
| TBC-46 | 1 3/4" | 38.8 | 46.8 |
| TBC-50 | 1 7/8" | 42.6 | 50.0 |
| TBC-53 | 2" | 45.2 | 53.1 |
| TBC-60 | 2 1/4" | 51.5 | 59.5 |
| TBC-63 | 2 3/8" | 54.0 | 62.7 |
| TBC-66 | 2 1/2" | 57.9 | 65.8 |
| TBC-67 | 2 9/16" | 59.5 | 67.4 |
| TBC-69 | 2 5/8" | 61.1 | 69.0 |
| TBC-72 | 2 3/4" | 64.2 | 72.2 |
| TBC-75 | 2 7/8" | 67.4 | 75.4 |
| TBC-78 | 3" | 70.6 | 78.5 |
| TBC-82 | 3 1/8" | 73.8 | 81.7 |
| TBC-85 | 3 1/4" | 76.9 | 84.9 |
| TBC-91 | 3 1/2" | 83.3 | 91.2 |
| TBC-98 | 3 3/4" | 89.6 | 97.6 |
| TBC-104 | 4" | 96.0 | 103.9 |
| TBC-110 | 4 1/4" | 102.3 | 110.3 |
| TBC-116 | 4 1/2" | 108.7 | 116.6 |
| TBC-123 | 4 3/4" | 115.0 | 123.0 |
| TBC-129 | 5" | 121.4 | 129.3 |
| TBC-135 | 5 1/4" | 127.7 | 135.0 |
| TBC-142 | 5 1/2" | 134.0 | 142.0 |
| TBC-148 | 5 3/4" | 140.4 | 148.4 |
| TBC-155 | 6" | 146.8 | 154.7 |
| TBC-161 | 6 1/4" | 153.0 | 161.0 |
| TBC-167 | 6 1/2" | 159.5 | 167.4 |
| TBC-173 | 6 3/4" | 165.0 | 173.0 |
| TBC-180 | 7" | 172.2 | 180.0 |
| TBC-192 | 7 1/2" | 184.0 | 192.0 |

STBC Series Heavy Duty Stainless Steel T-Bolt Clamps



| Part Number | Size (ins) | OD From | To |
|-----------------|------------|---------|-------|
| STBC-40 | 1 1/2" | 32.5 | 40.8 |
| STBC-46 | 1 3/4" | 38.8 | 46.8 |
| STBC-50 | 1 7/8" | 42.6 | 50.0 |
| STBC-53 | 2" | 45.2 | 53.1 |
| STBC-60 | 2 1/4" | 51.5 | 59.5 |
| STBC-63 | 2 3/8" | 54.0 | 62.7 |
| STBC-66 | 2 1/2" | 57.9 | 65.8 |
| STBC-67 | 2 9/16" | 59.5 | 67.4 |
| STBC-69 | 2 5/8" | 61.1 | 69.0 |
| STBC-72 | 2 3/4" | 64.2 | 72.2 |
| STBC-75 | 2 7/8" | 67.4 | 75.4 |
| STBC-78 | 3" | 70.6 | 78.5 |
| STBC-82 | 3 1/8" | 73.8 | 81.7 |
| STBC-85 | 3 1/4" | 76.9 | 84.9 |
| STBC-91 | 3 1/2" | 83.3 | 91.2 |
| STBC-98 | 3 3/4" | 89.6 | 97.6 |
| STBC-104 | 4" | 96.0 | 103.9 |
| STBC-110 | 4 1/4" | 102.3 | 110.3 |
| STBC-116 | 4 1/2" | 108.7 | 116.6 |
| STBC-123 | 4 3/4" | 115.0 | 123.0 |
| STBC-129 | 5" | 121.4 | 129.3 |
| STBC-135 | 5 1/4" | 127.7 | 135.0 |
| STBC-142 | 5 1/2" | 134.0 | 142.0 |
| STBC-148 | 5 3/4" | 140.4 | 148.4 |
| STBC-155 | 6" | 146.8 | 154.7 |
| STBC-161 | 6 1/4" | 153.0 | 161.0 |
| STBC-167 | 6 1/2" | 159.5 | 167.4 |
| STBC-173 | 6 3/4" | 165.0 | 173.0 |
| STBC-180 | 7" | 172.2 | 180.0 |
| STBC-192 | 7 1/2" | 184.0 | 192.0 |

Spiral Clamps - Clockwise Wound



| Part Number | Size |
|-----------------|--------|
| SCCW-051 | 2" |
| SCCW-063 | 2 1/2" |
| SCCW-076 | 3" |
| SCCW-100 | 4" |
| SCCW-125 | 5" |
| SCCW-150 | 6" |
| SCCW-200 | 8" |
| SCCW-250 | 10" |

Spiral Clamps - Anticlockwise Wound



| Part Number | Size |
|-----------------|--------|
| SCAC-051 | 2" |
| SCAC-063 | 2 1/2" |
| SCAC-076 | 3" |
| SCAC-100 | 4" |
| SCAC-125 | 5" |
| SCAC-150 | 6" |
| SCAC-200 | 8" |
| SCAC-250 | 10" |

For use on convoluted hose.

Malleable Iron Heavy Duty Double Bolt Clamps

| Part Number | Hose O.D.(mm) | | Torque |
|----------------|---------------|-----|--------|
| | From | To | |
| DBC-030 | 28 | 30 | 15 |
| DBC-034 | 30 | 34 | 21 |
| DBC-038 | 34 | 38 | 21 |
| DBC-046 | 41 | 46 | 45 |
| DBC-052 | 44 | 52 | 27 |
| DBC-058 | 53 | 58 | 27 |
| DBC-066 | 58 | 66 | 45 |
| DBC-069 | 63 | 69 | 40 |
| DBC-077 | 69 | 77 | 60 |
| DBC-084 | 76 | 84 | 60 |
| DBC-095 | 82 | 95 | 60 |
| DBC-096 | 88 | 96 | 40 |
| DBC-103 | 96 | 103 | 40 |
| DBC-108 | 103 | 108 | 40 |
| DBC-125 | 108 | 125 | 60 |
| DBC-128 | 114 | 128 | 60 |
| DBC-144 | 128 | 144 | 60 |
| DBC-151 | 144 | 151 | 60 |
| DBC-165 | 151 | 165 | 60 |
| DBC-192 | 165 | 192 | 60 |
| DBC-208 | 195 | 208 | 125 |
| DBC-225 | 205 | 225 | 125 |
| DBC-239 | 225 | 239 | 125 |
| DBC-289 | 239 | 289 | 125 |
| DBC-330 | 289 | 330 | 125 |
| DBC-351 | 330 | 355 | 200 |
| DBC-381 | 355 | 381 | 200 |
| DBC-444 | 381 | 444 | 200 |



"CLAMP-IT" Buckles

| Part Number | Width | Thickness | Box Qty | Material |
|------------------|-------|-----------|---------|------------------|
| SS/CBK-06 | 3/8" | .025 | 100 | Stainless Steel |
| SS/CBK-08 | 1/2" | .030 | 100 | Stainless Steel |
| SS/CBK-10 | 5/8" | .030 | 100 | Stainless Steel |
| SS/CBK-12 | 3/4" | .030 | 50 | Stainless Steel |
| | | | | |
| GS/CBK-06 | 3/8" | .025 | 100 | Galvanised Steel |
| GS/CBK-08 | 1/2" | .030 | 100 | Galvanised Steel |
| GS/CBK-10 | 5/8" | .030 | 100 | Galvanised Steel |
| GS/CBK-12 | 3/4" | .030 | 50 | Galvanised Steel |



EPDM Lined Pipe Clamps

| Part Number | Diameter (mm) |
|----------------|---------------|
| PCL-014 | 14-20 |
| PCL-020 | 20-25 |
| PCL-026 | 26-32 |
| PCL-032 | 32-39 |
| PCL-040 | 40-47 |
| PCL-048 | 48-53 |
| PCL-054 | 54-58 |
| PCL-058 | 58-64 |
| PCL-068 | 68-72 |
| PCL-072 | 72-80 |
| PCL-082 | 82-86 |
| PCL-088 | 88-92 |
| PCL-108 | 108-112 |
| PCL-112 | 112-118 |
| PCL-137 | 137-142 |
| PCL-159 | 159-162 |
| PCL-164 | 164-168 |



3.
15

"CLAMP-IT" Strapping 30 mtrs per box

| Part Number | Width | Thickness | Material |
|------------------|-------|-----------|------------------|
| SS/CST-06 | 3/8" | .025 | Stainless Steel |
| SS/CST-08 | 1/2" | .030 | Stainless Steel |
| SS/CST-10 | 5/8" | .030 | Stainless Steel |
| SS/CST-12 | 3/4" | .030 | Stainless Steel |
| | | | |
| GS/CST-06 | 3/8" | .025 | Galvanised Steel |
| GS/CST-08 | 1/2" | .030 | Galvanised Steel |
| GS/CST-10 | 5/8" | .030 | Galvanised Steel |
| GS/CST-12 | 3/4" | .030 | Galvanised Steel |



Unlined Pipe Clamps

| Part Number | Diameter (mm) |
|----------------|---------------|
| PCU-020 | 20-25 |
| PCU-026 | 26-30 |
| PCU-031 | 31-38 |
| PCU-040 | 40-46 |
| PCU-047 | 47-51 |
| PCU-052 | 52-56 |
| PCU-057 | 57-62 |
| PCU-063 | 63-66 |
| PCU-067 | 67-71 |
| PCU-072 | 72-75 |
| PCU-076 | 76-81 |
| PCU-082 | 82-88 |
| PCU-089 | 89-94 |
| PCU-095 | 95-102 |
| PCU-103 | 103-107 |
| PCU-108 | 108-117 |
| PCU-118 | 118-123 |
| PCU-124 | 124-132 |
| PCU-133 | 133-143 |
| PCU-144 | 144-149 |
| PCU-150 | 150-159 |
| PCU-160 | 160-168 |
| PCU-169 | 169-175 |
| PCU-176 | 176-182 |



Clamping Tool



Part Number

CLT-01

Screw Action Tool



Part Number

SAT-01

3.
15

Band Clamp Tools and Accessories



Part Number

MLT-01 Mallet for punch clamps



Part Number

LCT-01 Locking Tool. Portable hand tool used to apply punch type 3/8" and 5/8" band clamps



Part Number

HNT-01 Hand Tool. Intermediate hand tool for 3/8" and 5/8" band clamps



Part Number

HHT-01 Hand held tool for application of 5/8" band clamps



Part Number

HHT-02 Hand held tool for application of 3/4" K clamps

HHT-03 Hand held tool for application of 3/8" and 5/8" band clamps